

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1277	(configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (network) with (automatic\$5 intervention)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:44
L2	28398	(obtain\$4 load\$4 retriev\$4 receiv\$4 read\$4) with (admin administrat\$5 manage\$5 operat\$5) with (log?in log\$4 account profile access) with (network address configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:45
L3	59	L1 and L2	US-PGPUB	OR	OFF	2006/02/17 09:44
L4	328	((configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (network) with (automatic\$5 intervention)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:45
L5	6025	((obtain\$4 load\$4 retriev\$4 receiv\$4 read\$4) with (admin administrat\$5 manage\$5 operat\$5) with (log?in log\$4 account profile access) with (network address configuration)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:45
L6	209	((configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (network) with (automatic\$5 intervention)).clm.	US-PGPUB	OR	OFF	2006/02/17 09:45
L7	2557	((obtain\$4 load\$4 retriev\$4 receiv\$4 read\$4) with (admin administrat\$5 manage\$5 operat\$5) with (log?in log\$4 account profile access) with (network address configuration)).clm.	US-PGPUB	OR	OFF	2006/02/17 09:45
L8	12	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:45

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5507	(709/220-222.ccls. or 713/1,100.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:24
L2	3311	L1 and (\$2configur\$5 with (resource computer desktop laptop PC server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:24
L3	1420	L2 and ((obtain\$4 retriev\$4 receiv\$5 fetch\$3) with (configur\$5) with (parameter information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:24
L4	926	L3 and (domain group cluster sub?net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 08:24
L5	24	4 and (obtain\$4 receiv\$4 retriev\$4 acquir\$4) with (adminitstrator super?user manage\$5 operat\$4) with (account profile)	USPAT	OR	OFF	2006/02/17 08:27
L6	89691	(admin administrat\$5 manage\$5 operat\$5) with (log?in log\$4 account profile access) with (network address configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:10
L7	0	(configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (netowrk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:07
L8	28118	(configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:08
L9	0	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:07

EAST Search History

L10	8016	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:07
L11	1277	(configur\$5 reconfigur\$4 provision\$4) with (resource node computer) with (network) with (automatic\$5 intervention)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:08
L12	488	6 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:08
L13	243	12 and (computer node resource) with (domain group subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:12
L14	28398	(obtain\$4 load\$4 retriev\$4 receiv\$4 read\$4) with (admin administrat\$5 manage\$5 operat\$5) with (log?in log\$4 account profile access) with (network address configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:11
L15	2638	8 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:11
L16	977	15 and (computer node resource) with (domain group subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:12
L17	138	11 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:12
L18	66	17 and (computer node resource) with (domain group subnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 09:12

EAST Search History

S1	4477	(709/220-222.ccls. or 713/1,100.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:28
S2	2677	S1 and (\$2configur\$5 with (resource computer desktop laptop PC server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:29
S3	1122	S2 and ((obtain\$4 retriev\$4 receiv\$5 fetch\$3) with (configur\$5) with (parameter information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:32
S4	16	S3 and (register\$4 with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:32
S5	269	S3 and (domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:33
S6	726	S3 and (domain group cluster sub?net)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:35
S7	0	(configurat\$5 near3 (program application)) same (register with resource with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:19
S8	4491	(709/220-222.ccls. or 713/1,100.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:19
S9	2686	S8 and (\$2configur\$5 with (resource computer desktop laptop PC server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:19
S10	1126	S9 and ((obtain\$4 retriev\$4 receiv\$5 fetch\$3) with (configur\$5) with (parameter information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:20

EAST Search History

S11	16	S10 and (register\$4 with domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:20
S12	37	(US-20010027521-\$ or US-20020019864-\$ or US-20020055991-\$ or US-20020069272-\$ or US-20020103878-\$ or US-20020120724-\$ or US-20020133573-\$ or US-20020152289-\$ or US-20020161867-\$ or US-20020178239-\$ or US-20030051010-\$ or US-20030061409-\$ or US-20030126422-\$ or US-20030208567-\$ or US-20040172461-\$ or US-20040181593-\$ or US-20040260800-\$).did. or (US-5838918-\$ or US-5852722-\$ or US-6012088-\$ or US-6026438-\$ or US-6161125-\$ or US-6286038-\$ or US-6493751-\$ or US-6587874-\$ or US-6601095-\$ or US-6633977-\$ or US-6636961-\$ or US-6687817-\$ or US-6697360-\$ or US-6721880-\$ or US-6732165-\$ or US-6757723-\$ or US-6760761-\$ or US-6785822-\$ or US-6789103-\$ or US-6847993-\$).did.	US-PGPUB; USPAT	OR	ON	2005/02/18 10:17
S13	4	S12 and (configuration with (encrypt\$5 encod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:21
S14	4065	(configuration with (information data) with (encrypt\$5 encod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:41
S15	2418	S14 and @ad<"20010525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:41

EAST Search History

S16	465	S15 and (network with configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:23
S17	80	S15 and (network with configur\$5).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:42
S18	4341	(configuration with (information data) with (decrypt\$5 decod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:58
S19	2797	S18 and @ad<"20010525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:58
S20	38	S19 and (network with configur\$5).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:59
S21	874	(configuration with (information data) with registry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:58
S22	522	S21 and @ad<"20010525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:58
S23	25	S22 and (network with configur\$5).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:59
S24	4491	(709/220-222.ccls. or 713/1,100.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 12:38
S25	2686	S24 and (\$2configur\$5 with (resource computer desktop laptop PC server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 12:48

EAST Search History

S26	15	S25 and (administrator near3 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 12:38
S27	540	(\$2configur\$5 with (resource computer desktop laptop PC server)) and (administrator near3 account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 12:48
S28	11	(\$2configur\$5 with (resource computer desktop laptop PC server)) and ((\$2configur\$5 with (data information)) with (administrator near3 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 12:56
S29	28	(copy\$5 with account with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 09:51
S30	43	(US-20010027521-\$ or US-20020019864-\$ or US-20020055991-\$ or US-20020069272-\$ or US-20020103878-\$ or US-20020120724-\$ or US-20020133573-\$ or US-20020152289-\$ or US-20020161867-\$ or US-20020165945-\$ or US-20020178239-\$ or US-20020198900-\$ or US-20030014377-\$ or US-20030051010-\$ or US-20030061409-\$ or US-20030126422-\$ or US-20030208567-\$ or US-20040172461-\$ or US-20040181593-\$ or US-20040260800-\$).did. or (US-5838918-\$ or US-5852722-\$ or US-6012088-\$ or US-6026438-\$ or US-6161125-\$ or US-6286038-\$ or US-6345294-\$ or US-6493751-\$ or US-6587874-\$ or US-6601095-\$ or US-6629145-\$ or US-6633977-\$ or US-6636961-\$ or US-6687817-\$ or US-6697360-\$ or US-6721880-\$ or US-6732165-\$ or US-6757723-\$ or US-6760761-\$ or US-6782474-\$ or US-6785822-\$ or US-6789103-\$ or US-6847993-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/08 10:10

EAST Search History

S31	33	S30 and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 10:14
S32	33	S30 and (administrator super?user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:10
S33	328946	"5" and (administrat\$5 super?user (super adj user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:11
S34	43	(US-20010027521-\$ or US-20020019864-\$ or US-20020055991-\$ or US-20020069272-\$ or US-20020103878-\$ or US-20020120724-\$ or US-20020133573-\$ or US-20020152289-\$ or US-20020161867-\$ or US-20020165945-\$ or US-20020178239-\$ or US-20020198900-\$ or US-20030014377-\$ or US-20030051010-\$ or US-20030061409-\$ or US-20030126422-\$ or US-20030208567-\$ or US-20040172461-\$ or US-20040181593-\$ or US-20040260800-\$).did. or (US-5838918-\$ or US-5852722-\$ or US-6012088-\$ or US-6026438-\$ or US-6161125-\$ or US-6286038-\$ or US-6345294-\$ or US-6493751-\$ or US-6587874-\$ or US-6601095-\$ or US-6629145-\$ or US-6633977-\$ or US-6636961-\$ or US-6687817-\$ or US-6697360-\$ or US-6721880-\$ or US-6732165-\$ or US-6757723-\$ or US-6760761-\$ or US-6782474-\$ or US-6785822-\$ or US-6789103-\$ or US-6847993-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/08 15:11
S35	34	S34 and (administrat\$5 super?user (super adj user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:11

EAST Search History

S36	282	(administrat\$5 super?user (super adj user) operator) with (log\$4 log\$in) with (account access) with (configur\$5 provision\$5 set?up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:31
S37	10	US-5742829-\$.DID. OR US-6035423-\$.DID. OR US-6006035-\$.DID. OR US-5794052-\$.DID. OR US-6239800-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:22
S38	13344	((administrat\$4 (super?user (super adj user)) user operator) with (log?in log\$4 account access privilege right)) same (configur\$5) same (domain network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:56
S39	4125	((administrat\$4 (super?user (super adj user)) user operator admin) with (log?in log\$4 account access privilege right)) with (configur\$5) with (domain network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:58
S40	256	((administrat\$4 (super?user (super adj user)) user operator admin) with (log?in log\$4) with (account access privilege right)) with (configur\$5) with (domain network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:12
S41	2627	((administrat\$4 (super?user (super adj user)) user operator admin) with (log?in log\$4 account access privilege right)) with (configur\$5) with (computer workstation node resource server device) with (domain network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:58
S42	2	"20020161867".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 14:00
S43	30	("5742820" "5758069" "5764977" "5781910" "5799305" "5799318" "5812780" "5819272" "5826085" "5832486" "5862325").PN. OR ("6144959"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/09 14:56
S44	2	"6601095".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:11

EAST Search History

S45	36	((administrat\$4 (super?user (super adj user) manager) user operator admin) with (log?in log\$4) with (account access privilege right)) with (register) with (domain network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 10:12
S46	2	"20020112150".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 12:24
S47	308	(network with (configur\$5 provision\$5) with (administrat\$5 user manage\$5 super?user) with (log\$4 account privilege permission)).clm.	US-PGPUB	OR	ON	2005/09/12 16:01
S48	142	(network with (configur\$5 provision\$5) with (administrat\$5 manage\$5 super?user) with (log\$4 account privilege permission)).clm.	US-PGPUB	OR	ON	2005/09/12 16:01